

PORTLAND HARBOR RI/FS
REMEDIAL INVESTIGATION REPORT

APPENDIX D1.1
**CONTAMINANT AND PHYSICAL PARAMETERS IN
BEDDED SEDIMENT—FIGURES**

DRAFT FINAL

June 12, 2015

LIST OF FIGURES

- Figure D1.1-1. Scatter Plot of PCB TEQ (ND=0) Concentrations in Surface Sediment, RM 0.8–12.2
- Figure D1.1-2. Scatter Plot of PCB TEQ (ND=0) Concentrations in Subsurface Sediment, RM 0.8–12.2
- Figure D1.1-3. Histogram of Mean PCB TEQ (ND=0) Concentration in Surface and Subsurface Sediment (RM 1.9–11.8)
- Figure D1.1-4. Box-Whisker Plot of PCB TEQ (ND=0) in Surface and Subsurface Sediment by River Reach
- Figure D1.1-5. Scatter Plot of Total DDT Concentrations in Surface Sediment, RM 0.8–12.2
- Figure D1.1-6. Scatter Plot of Total DDT Concentrations in Subsurface Sediment, RM 0.8–12.2
- Figure D1.1-7. Histogram of Mean Total DDT Concentration in Surface and Subsurface Sediment (RM 1.9–11.8)
- Figure D1.1-8. Box-Whisker Plot of Total DDT in Surface and Subsurface Sediment by River Reach
- Figure D1.1-9. Scatter Plot of Total DDE Concentrations in Surface Sediment, RM 0.8–12.2
- Figure D1.1-10. Scatter Plot of Total DDE Concentrations in Subsurface Sediment, RM 0.8–12.2
- Figure D1.1-11. Histogram of Mean Total DDE Concentration in Surface and Subsurface Sediment (RM 1.9–11.8)
- Figure D1.1-12. Box-Whisker Plot of Total DDE in Surface and Subsurface Sediment by River Reach
- Figure D1.1-13. Scatter Plot of Total DDD Concentrations in Surface Sediment, RM 0.8–12.2
- Figure D1.1-14. Scatter Plot of Total DDD Concentrations in Subsurface Sediment, RM 0.8–12.2
- Figure D1.1-15. Histogram of Mean Total DDD Concentration in Surface and Subsurface Sediment (RM 1.9–11.8)
- Figure D1.1-16. Box-Whisker Plot of Total DDD in Surface and Subsurface Sediment by River Reach
- Figure D1.1-17. Scatter Plot of Total Carcinogenic PAH (BaPEq) Concentrations in Surface Sediment, RM 0.8–12.2
- Figure D1.1-18. Scatter Plot of Total Carcinogenic PAH (BaPEq) Concentrations in Subsurface Sediment, RM 0.8–12.2
- Figure D1.1-19. Histogram of Mean Total Carcinogenic PAH (BaPEq) Concentration in Surface and Subsurface Sediment (RM 1.9–11.8)
- Figure D1.1-20. Box-Whisker Plot of Total Carcinogenic PAH (BaPEq) in Surface and Subsurface Sediment by River Reach

- Figure D1.1-21. Scatter Plot of Low Molecular Weight PAH Concentrations in Surface Sediment, RM 0.8–12.2
- Figure D1.1-22. Scatter Plot of Low Molecular Weight PAH Concentrations in Subsurface Sediment, RM 0.8–12.2
- Figure D1.1-23. Histogram of Mean Low Molecular Weight PAH Concentration in Surface and Subsurface Sediment (RM 1.9–11.8)
- Figure D1.1-24. Box-Whisker Plot of Low Molecular Weight PAH in Surface and Subsurface Sediment by River Reach
- Figure D1.1-25. Scatter Plot of High Molecular Weight PAH Concentrations in Surface Sediment, RM 0.8–12.2
- Figure D1.1-26. Scatter Plot of High Molecular Weight PAH Concentrations in Subsurface Sediment, RM 0.8–12.2
- Figure D1.1-27. Histogram of Mean High Molecular Weight PAH Concentration in Surface and Subsurface Sediment (RM 1.9–11.8)
- Figure D1.1-28. Box-Whisker Plot of High Molecular Weight PAH in Surface and Subsurface Sediment by River Reach
- Figure D1.1-29. Scatter Plot of Phenanthrene Concentrations in Surface Sediment, RM 0.8–12.2
- Figure D1.1-30. Scatter Plot of Phenanthrene Concentrations in Subsurface Sediment, RM 0.8–12.2
- Figure D1.1-31. Histogram of Mean Phenanthrene Concentration in Surface and Subsurface Sediment (RM 1.9–11.8)
- Figure D1.1-32. Box-Whisker Plot of Phenanthrene in Surface and Subsurface Sediment by River Reach
- Figure D1.1-33. Scatter Plot of Naphthalene Concentrations in Surface Sediment, RM 0.8–12.2
- Figure D1.1-34. Scatter Plot of Naphthalene Concentrations in Subsurface Sediment, RM 0.8–12.2
- Figure D1.1-35. Histogram of Mean Naphthalene Concentration in Surface and Subsurface Sediment (RM 1.9–11.8)
- Figure D1.1-36. Box-Whisker Plot of Naphthalene in Surface and Subsurface Sediment by River Reach
- Figure D1.1-37. Scatter Plot of Benzo(a)pyrene Concentrations in Surface Sediment, RM 0.8–12.2
- Figure D1.1-38. Scatter Plot of Benzo(a)pyrene Concentrations in Subsurface Sediment, RM 0.8–12.2
- Figure D1.1-39. Histogram of Mean Benzo(a)pyrene Concentration in Surface and Subsurface Sediment (RM 1.9–11.8)
- Figure D1.1-40. Box-Whisker Plot of Benzo(a)pyrene in Surface and Subsurface Sediment by River Reach

- Figure D1.1-41. Scatter Plot of Total Petroleum Hydrocarbon Concentrations in Surface Sediment, RM 0.8–12.2
- Figure D1.1-42. Scatter Plot of Total Petroleum Hydrocarbon Concentrations in Subsurface Sediment, RM 0.8–12.2
- Figure D1.1-43. Histogram of Mean Total Petroleum Hydrocarbon Concentration in Surface and Subsurface Sediment (RM 1.9–11.8)
- Figure D1.1-44. Box-Whisker Plot of Total Petroleum Hydrocarbons in Surface and Subsurface Sediment by River Reach
- Figure D1.1-45. Scatter Plot of Total Petroleum Hydrocarbon (Silica Gel Method) Concentrations in Surface Sediment, RM 0.8–12.2
- Figure D1.1-46. Scatter Plot of Total Petroleum Hydrocarbon (Silica Gel Method) Concentrations in Subsurface Sediment, RM 0.8–12.2
- Figure D1.1-47. Histogram of Mean Total Petroleum Hydrocarbon (Silica Gel Method) Concentration in Surface and Subsurface Sediment (RM 1.9–11.8)
- Figure D1.1-48. Box-Whisker Plot of Total Petroleum Hydrocarbons (Silica Gel Method) in Surface and Subsurface Sediment by River Reach
- Figure D1.1-49. Scatter Plot of Total Petroleum Hydrocarbon (Residual) Concentrations in Surface Sediment, RM 0.8–12.2
- Figure D1.1-50. Scatter Plot of Total Petroleum Hydrocarbon (Residual) Concentrations in Subsurface Sediment, RM 0.8–12.2
- Figure D1.1-51. Histogram of Mean Total Petroleum Hydrocarbon (Residual) Concentration in Surface and Subsurface Sediment (RM 1.9–11.8)
- Figure D1.1-52. Box-Whisker Plot of Total Petroleum Hydrocarbon (Residual) in Surface and Subsurface Sediment by River Reach
- Figure D1.1-53. Scatter Plot of Total Petroleum Hydrocarbon (Residual) (Silica Gel Method) Concentrations in Surface Sediment, RM 0.8–12.2
- Figure D1.1-54. Scatter Plot of Total Petroleum Hydrocarbon (Residual) (Silica Gel Method) Concentrations in Subsurface Sediment, RM 0.8–12.2
- Figure D1.1-55. Histogram of Mean Total Petroleum Hydrocarbon (Residual) (Silica Gel Method) Concentration in Surface and Subsurface Sediment (RM 1.9–11.8)
- Figure D1.1-56. Box-Whisker Plot of Total Petroleum Hydrocarbon (Residual) (Silica Gel Method) in Surface and Subsurface Sediment by River Reach
- Figure D1.1-57. Scatter Plot of Total Petroleum Hydrocarbon (Diesel) Concentrations in Surface Sediment, RM 0.8–12.2
- Figure D1.1-58. Scatter Plot of Total Petroleum Hydrocarbon (Diesel) Concentrations in Subsurface Sediment, RM 0.8–12.2
- Figure D1.1-59. Histogram of Mean Total Petroleum Hydrocarbon (Diesel) Concentration in Surface and Subsurface Sediment (RM 1.9–11.8)
- Figure D1.1-60. Box-Whisker Plot of Total Petroleum Hydrocarbon (Diesel) in Surface and Subsurface Sediment by River Reach

- Figure D1.1-61. Scatter Plot of Total Petroleum Hydrocarbon (Diesel) (Silica Gel Method) Concentrations in Surface Sediment, RM 0.8–12.2
- Figure D1.1-62. Scatter Plot of Total Petroleum Hydrocarbon (Diesel) (Silica Gel Method) Concentrations in Subsurface Sediment, RM 0.8–12.2
- Figure D1.1-63. Histogram of Mean Total Petroleum Hydrocarbon (Diesel) (Silica Gel Method) Concentration in Surface and Subsurface Sediment (RM 1.9–11.8)
- Figure D1.1-64. Box-Whisker Plot of Total Petroleum Hydrocarbon (Diesel) (Silica Gel Method) in Surface and Subsurface Sediment by River Reach
- Figure D1.1-65. Scatter Plot of Butylbenzyl phthalate Concentrations in Surface Sediment, RM 0.8–12.2
- Figure D1.1-66. Scatter Plot of Butylbenzyl phthalate Concentrations in Subsurface Sediment, RM 0.8–12.2
- Figure D1.1-67. Histogram of Mean Butylbenzyl phthalate Concentration in Surface and Subsurface Sediment (RM 1.9–11.8)
- Figure D1.1-68. Box-Whisker Plot of Butylbenzyl phthalate in Surface and Subsurface Sediment by River Reach
- Figure D1.1-69. Scatter Plot of Pentachlorophenol Concentrations in Surface Sediment, RM 0.8–12.2
- Figure D1.1-70. Scatter Plot of Pentachlorophenol Concentrations in Subsurface Sediment, RM 0.8–12.2
- Figure D1.1-71. Histogram of Mean Pentachlorophenol Concentration in Surface and Subsurface Sediment (RM 1.9–11.8)
- Figure D1.1-72. Box-Whisker Plot of Pentachlorophenol in Surface and Subsurface Sediment by River Reach
- Figure D1.1-73. Scatter Plot of Hexachlorobenzene Concentrations in Surface Sediment, RM 0.8–12.2
- Figure D1.1-74. Scatter Plot of Hexachlorobenzene Concentrations in Subsurface Sediment, RM 0.8–12.2
- Figure D1.1-75. Histogram of Mean Hexachlorobenzene Concentration in Surface and Subsurface Sediment (RM 1.9–11.8)
- Figure D1.1-76. Box-Whisker Plot of Hexachlorobenzene in Surface and Subsurface Sediment by River Reach
- Figure D1.1-77. Scatter Plot of gamma-Hexachlorocyclohexane (Lindane) Concentrations in Surface Sediment, RM 0.8–12.2
- Figure D1.1-78. Scatter Plot of gamma-Hexachlorocyclohexane (Lindane) Concentrations in Subsurface Sediment, RM 0.8–12.2
- Figure D1.1-79. Histogram of Mean gamma-Hexachlorocyclohexane (Lindane) Concentration in Surface and Subsurface Sediment (RM 1.9–11.8)
- Figure D1.1-80. Box-Whisker Plot of gamma-Hexachlorocyclohexane (Lindane) in Surface and Subsurface Sediment by River Reach

- Figure D1.1-81. Scatter Plot of Cadmium Concentrations in Surface Sediment, RM 0.8–12.2
- Figure D1.1-82. Scatter Plot of Cadmium Concentrations in Subsurface Sediment, RM 0.8–12.2
- Figure D1.1-83. Histogram of Mean Cadmium Concentration in Surface and Subsurface Sediment (RM 1.9–11.8)
- Figure D1.1-84. Box-Whisker Plot of Cadmium in Surface and Subsurface Sediment by River Reach
- Figure D1.1-85. Scatter Plot of Lead Concentrations in Surface Sediment, RM 0.8–12.2
- Figure D1.1-86. Scatter Plot of Lead Concentrations in Subsurface Sediment, RM 0.8–12.2
- Figure D1.1-87. Histogram of Mean Lead Concentration in Surface and Subsurface Sediment (RM 1.9–11.8)
- Figure D1.1-88. Box-Whisker Plot of Lead in Surface and Subsurface Sediment by River Reach
- Figure D1.1-89. Scatter Plot of Mercury Concentrations in Surface Sediment, RM 0.8–12.2
- Figure D1.1-90. Scatter Plot of Mercury Concentrations in Subsurface Sediment, RM 0.8–12.2
- Figure D1.1-91. Histogram of Mean Mercury Concentration in Surface and Subsurface Sediment (RM 1.9–11.8)
- Figure D1.1-92. Box-Whisker Plot of Mercury in Surface and Subsurface Sediment by River Reach
- Figure D1.1-93. Scatter Plot of Nickel Concentrations in Surface Sediment, RM 0.8–12.2
- Figure D1.1-94. Scatter Plot of Nickel Concentrations in Subsurface Sediment, RM 0.8–12.2
- Figure D1.1-95. Histogram of Mean Nickel Concentration in Surface and Subsurface Sediment (RM 1.9–11.8)
- Figure D1.1-96. Box-Whisker Plot of Nickel in Surface and Subsurface Sediment by River Reach
- Figure D1.1-97. Scatter Plot of Percent Fines Concentrations in Surface Sediment, RM 0.8–12.2
- Figure D1.1-98. Scatter Plot of Percent Fines Concentrations in Subsurface Sediment, RM 0.8–12.2
- Figure D1.1-99. Histogram of Mean Percent Fines Concentration in Surface and Subsurface Sediment (RM 1.9–11.8)
- Figure D1.1-100. Box-Whisker Plot of Percent Fines in Surface and Subsurface Sediment by River Reach
- Figure D1.1-101. Scatter Plot of Total Organic Carbon Concentrations in Surface Sediment, RM 0.8–12.2
- Figure D1.1-102. Scatter Plot of Total Organic Carbon Concentrations in Subsurface Sediment, RM 0.8–12.2
- Figure D1.1-103. Histogram of Mean Total Organic Carbon Concentration in Surface and Subsurface Sediment (RM 1.9–11.8)

Figure D1.1-104. Box-Whisker Plot of Total Organic Carbon in Surface and Subsurface Sediment by River Reach




Figure D1.1-1
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of PCB TEQ (ND = 0)
Concentrations in Surface Sediment, RM 0.8-12.2




Figure D1.1-2
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of PCB TEQ (ND = 0)
Concentrations in Subsurface Sediment, RM 0.8-12.2





Figure D1.1-3
 Portland Harbor RI/FS
 Remedial Investigation Report
 Histogram of Mean Total PCB TEQ (ND=0) Concentration
 in Surface and Subsurface Sediment (RM 1.9–11.8)



Note:

Occasionally, small sample sizes (e.g., $N < 3$) or data sets with multiple duplicate values can result in min/max whiskers that coincide with the upper/lower boundaries of the box plot (i.e., 25th and 75th percentiles). In these cases, no whiskers will be visible on the box plot.

Figure D1.1-4
 Portland Harbor RI/FS
 Remedial Investigation Report
 Box-Whisker Plot of PCB TEQ (ND=0) in
 Surface and Subsurface Sediment by River Reach




Figure D1.1–5
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of Total DDT
Concentrations in Surface Sediment, RM 0.8–12.2




Figure D1.1-6
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of Total DDT
Concentrations in Subsurface Sediment, RM 0.8-12.2





Figure D1.1-7
 Portland Harbor RI/FS
 Remedial Investigation Report
 Histogram of Mean Total DDT Concentration
 in Surface and Subsurface Sediment (RM 1.9–11.8)



Note:

Occasionally, small sample sizes (e.g., $N < 3$) or data sets with multiple duplicate values can result in min/max whiskers that coincide with the upper/lower boundaries of the box plot (i.e., 25th and 75th percentiles). In these cases, no whiskers will be visible on the box plot.

Figure D1.1-8
 Portland Harbor RI/FS
 Remedial Investigation Report
 Box-Whisker Plot of Total DDT in
 Surface and Subsurface Sediment by River Reach




Figure D1.1–9
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of Total DDE
Concentrations in Surface Sediment, RM 0.8–12.2




Figure D1.1–10
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of Total DDE
Concentrations in Subsurface Sediment, RM 0.8–12.2





Figure D1.1-11
 Portland Harbor RI/FS
 Remedial Investigation Report
 Histogram of Mean Total DDE Concentration
 in Surface and Subsurface Sediment (RM 1.9–11.8)



Note:
Occasionally, small sample sizes (e.g., $N < 3$) or data sets with multiple duplicate values can result in min/max whiskers that coincide with the upper/lower boundaries of the box plot (i.e., 25th and 75th percentiles). In these cases, no whiskers will be visible on the box plot.

Figure D1.1-12
Portland Harbor RI/FS
Remedial Investigation Report
Box-Whisker Plot of Total DDE in
Surface and Subsurface Sediment by River Reach




Figure D1.1–13
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of Total DDD
Concentrations in Surface Sediment, RM 0.8–12.2




Figure D1.1–14
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of Total DDD
Concentrations in Subsurface Sediment, RM 0.8–12.2





Figure D1.1-15
 Portland Harbor RI/FS
 Remedial Investigation Report
 Histogram of Mean Total DDD Concentration
 in Surface and Subsurface Sediment (RM 1.9–11.8)



Note:

Occasionally, small sample sizes (e.g., $N < 3$) or data sets with multiple duplicate values can result in min/max whiskers that coincide with the upper/lower boundaries of the box plot (i.e., 25th and 75th percentiles). In these cases, no whiskers will be visible on the box plot.

Figure D1.1-16
 Portland Harbor RI/FS
 Remedial Investigation Report
 Box-Whisker Plot of Total DDD in
 Surface and Subsurface Sediment by River Reach




Figure D1.1-17
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of Total Carcinogenic PAH (BaP Eq)
Concentrations in Surface Sediment, RM 0.8-12.2




Figure D1.1–18
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of Total Carcinogenic PAH (BaP Eq)
Concentrations in Subsurface Sediment, RM 0.8–12.2





Figure D1.1-19
 Portland Harbor RI/FS
 Remedial Investigation Report
 Histogram of Total Carcinogenic PAH (BaPEq) Concentration
 in Surface and Subsurface Sediment (RM 1.9–11.8)



Note:

Occasionally, small sample sizes (e.g., $N < 3$) or data sets with multiple duplicate values can result in min/max whiskers that coincide with the upper/lower boundaries of the box plot (i.e., 25th and 75th percentiles). In these cases, no whiskers will be visible on the box plot.

Figure D1.1-20
 Portland Harbor RI/FS
 Remedial Investigation Report
 Box-Whisker Plot of Total Carcinogenic PAHs (BaPEq) in
 Surface and Subsurface Sediment by River Reach




Figure D1.1–21
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of Low Molecular Weight PAH
Concentrations in Surface Sediment, RM 0.8–12.2




Figure D1.1–22
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of Low Molecular Weight PAH
Concentrations in Subsurface Sediment, RM 0.8–12.2





Figure D1.1-23
 Portland Harbor RI/FS
 Remedial Investigation Report
 Histogram of Mean Low Molecular Weight PAH Concentration
 in Surface and Subsurface Sediment (RM 1.9–11.8)



Note:

Occasionally, small sample sizes (e.g., $N < 3$) or data sets with multiple duplicate values can result in min/max whiskers that coincide with the upper/lower boundaries of the box plot (i.e., 25th and 75th percentiles). In these cases, no whiskers will be visible on the box plot.

Figure D1.1-24
 Portland Harbor RI/FS
 Remedial Investigation Report
 Box-Whisker Plot of Low Molecular Weight PAHs in
 Surface and Subsurface Sediment by River Reach




Figure D1.1–25
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of High Molecular Weight PAH
Concentrations in Surface Sediment, RM 0.8–12.2




Figure D1.1–26
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of High Molecular Weight PAH
Concentrations in Subsurface Sediment, RM 0.8–12.2





Figure D1.1-27
 Portland Harbor RI/FS
 Remedial Investigation Report
 Histogram of Mean High Molecular Weight PAH Concentration
 in Surface and Subsurface Sediment (RM 1.9–11.8)



Note:

Occasionally, small sample sizes (e.g., $N < 3$) or data sets with multiple duplicate values can result in min/max whiskers that coincide with the upper/lower boundaries of the box plot (i.e., 25th and 75th percentiles). In these cases, no whiskers will be visible on the box plot.

Figure D1.1-28
 Portland Harbor RI/FS
 Remedial Investigation Report
 Box-Whisker Plot of High Molecular Weight PAHs in
 Surface and Subsurface Sediment by River Reach




Figure D1.1–29
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of Phenanthrene
Concentrations in Surface Sediment, RM 0.8–12.2




Figure D1.1–30
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of Phenanthrene
Concentrations in Subsurface Sediment, RM 0.8–12.2





Figure D1.1-31
 Portland Harbor RI/FS
 Remedial Investigation Report
 Histogram of Mean Phenanthrene Concentration
 in Surface and Subsurface Sediment (RM 1.9–11.8)



Note:
Occasionally, small sample sizes (e.g., $N < 3$) or data sets with multiple duplicate values can result in min/max whiskers that coincide with the upper/lower boundaries of the box plot (i.e., 25th and 75th percentiles). In these cases, no whiskers will be visible on the box plot.

Figure D1.1-32
Portland Harbor RI/FS
Remedial Investigation Report
Box-Whisker Plot of Phenanthrene in
Surface and Subsurface Sediment by River Reach




Figure D1.1–33
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of Naphthalene
Concentrations in Surface Sediment, RM 0.8–12.2




Figure D1.1–34
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of Naphthalene
Concentrations in Subsurface Sediment, RM 0.8–12.2





Figure D1.1-35
 Portland Harbor RI/FS
 Remedial Investigation Report
 Histogram of Mean Naphthalene Concentration
 in Surface and Subsurface Sediment (RM 1.9–11.8)



Note:

Occasionally, small sample sizes (e.g., $N < 3$) or data sets with multiple duplicate values can result in min/max whiskers that coincide with the upper/lower boundaries of the box plot (i.e., 25th and 75th percentiles). In these cases, no whiskers will be visible on the box plot.

Figure D1.1-36
 Portland Harbor RI/FS
 Remedial Investigation Report
 Box-Whisker Plot of Naphthalene in
 Surface and Subsurface Sediment by River Reach




Figure D1.1–37
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of Benzo(a)pyrene
Concentrations in Surface Sediment, RM 0.8–12.2




Figure D1.1–38
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of Benzo(a)pyrene
Concentrations in Subsurface Sediment, RM 0.8–12.2





Figure D1.1-39
 Portland Harbor RI/FS
 Remedial Investigation Report
 Histogram of Mean Benzo(a)pyrene Concentration
 in Surface and Subsurface Sediment (RM 1.9–11.8)



Note:

Occasionally, small sample sizes (e.g., $N < 3$) or data sets with multiple duplicate values can result in min/max whiskers that coincide with the upper/lower boundaries of the box plot (i.e., 25th and 75th percentiles). In these cases, no whiskers will be visible on the box plot.

Figure D1.1-40
 Portland Harbor RI/FS
 Remedial Investigation Report
 Box-Whisker Plot of Benzo(a)pyrene in
 Surface and Subsurface Sediment by River Reach




Figure D1.1–41
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of Total Petroleum Hydrocarbon
Concentrations in Surface Sediment, RM 0.8–12.2




Figure D1.1–42
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of Total Petroleum Hydrocarbon
Concentrations in Subsurface Sediment, RM 0.8–12.2





Figure D1.1-43
 Portland Harbor RI/FS
 Remedial Investigation Report
 Histogram of Mean Total Petroleum Hydrocarbon Concentration
 in Surface and Subsurface Sediment (RM 1.9–11.8)



Note:

Occasionally, small sample sizes (e.g., $N < 3$) or data sets with multiple duplicate values can result in min/max whiskers that coincide with the upper/lower boundaries of the box plot (i.e., 25th and 75th percentiles). In these cases, no whiskers will be visible on the box plot.

Figure D1.1-44
 Portland Harbor RI/FS
 Remedial Investigation Report
 Box-Whisker Plot of Total Petroleum Hydrocarbons in
 Surface and Subsurface Sediment by River Reach




Figure D1.1–45
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of Total Petroleum Hydrocarbon (Silica Gel Method)
Concentrations in Surface Sediment, RM 0.8–12.2




Figure D1.1–46
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of Total Petroleum Hydrocarbon (Silica Gel Method)
Concentrations in Subsurface Sediment, RM 0.8–12.2





Figure D1.1-47
 Portland Harbor RI/FS
 Remedial Investigation Report
 Histogram of Mean Total Petroleum Hydrocarbon
 (Silica Gel Method) Concentration
 in Surface and Subsurface Sediment (RM 1.9–11.8)



Note:

Occasionally, small sample sizes (e.g., $N < 3$) or data sets with multiple duplicate values can result in min/max whiskers that coincide with the upper/lower boundaries of the box plot (i.e., 25th and 75th percentiles). In these cases, no whiskers will be visible on the box plot.

Figure D1.1-48
 Portland Harbor RI/FS
 Remedial Investigation Report
 Box-Whisker Plot of
 Total Petroleum Hydrocarbons
 (Silica Gel Method) in
 Surface and Subsurface Sediment by River Reach




Figure D1.1–49
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of Total Petroleum Hydrocarbon (Residual)
Concentrations in Surface Sediment, RM 0.8–12.2




Figure D1.1–50
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of Total Petroleum Hydrocarbon (Residual)
Concentrations in Subsurface Sediment, RM 0.8–12.2





Figure D1.1-51
 Portland Harbor RI/FS
 Remedial Investigation Report
 Histogram of Mean Total Petroleum Hydrocarbon (Residual) Concentration
 in Surface and Subsurface Sediment (RM 1.9–11.8)



Note:
Occasionally, small sample sizes (e.g., $N < 3$) or data sets with multiple duplicate values can result in min/max whiskers that coincide with the upper/lower boundaries of the box plot (i.e., 25th and 75th percentiles). In these cases, no whiskers will be visible on the box plot.

Figure D1.1-52
Portland Harbor RI/FS
Remedial Investigation Report
Box-Whisker Plot of Total Petroleum Hydrocarbon (Residual) in
Surface and Subsurface Sediment by River Reach




Figure D1.1–53
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of Total Petroleum Hydrocarbon (Residual) (Silica Gel Method)
Concentrations in Surface Sediment, RM 0.8–12.2




Figure D1.1–54
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of Total Petroleum Hydrocarbon (Residual) (Silica Gel Method)
Concentrations in Subsurface Sediment, RM 0.8–12.2





Figure D1.1-55
 Portland Harbor RI/FS
 Remedial Investigation Report
 Histogram of Mean Total Petroleum Hydrocarbon (Residual)
 (Silica Gel Method) Concentration
 in Surface and Subsurface Sediment (RM 1.9–11.8)



Note:

Occasionally, small sample sizes (e.g., $N < 3$) or data sets with multiple duplicate values can result in min/max whiskers that coincide with the upper/lower boundaries of the box plot (i.e., 25th and 75th percentiles). In these cases, no whiskers will be visible on the box plot.

Figure D1.1-56
 Portland Harbor RI/FS
 Remedial Investigation Report
 Box-Whisker Plot of Total Petroleum Hydrocarbon (Residual)
 (Silica Gel Method) in
 Surface and Subsurface Sediment by River Reach




Figure D1.1–57
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of Total Petroleum Hydrocarbon (Diesel)
Concentrations in Surface Sediment, RM 0.8–12.2




Figure D1.1–58
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of Total Petroleum Hydrocarbon (Diesel)
Concentrations in Subsurface Sediment, RM 0.8–12.2





Figure D1.1-59
 Portland Harbor RI/FS
 Remedial Investigation Report
 Histogram of Mean Total Petroleum Hydrocarbon (Diesel) Concentration
 in Surface and Subsurface Sediment (RM 1.9–11.8)



Note:
Occasionally, small sample sizes (e.g., $N < 3$) or data sets with multiple duplicate values can result in min/max whiskers that coincide with the upper/lower boundaries of the box plot (i.e., 25th and 75th percentiles). In these cases, no whiskers will be visible on the box plot.

Figure D1.1-60
Portland Harbor RI/FS
Remedial Investigation Report
Box-Whisker Plot of Total Petroleum Hydrocarbon (Diesel) in
Surface and Subsurface Sediment by River Reach




Figure D1.1-61
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of Total Petroleum Hydrocarbon (Diesel) (Silica Gel Method)
Concentrations in Surface Sediment, RM 0.8–12.2




Figure D1.1–62
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of Total Petroleum Hydrocarbon (Diesel) (Silica Gel Method)
Concentrations in Subsurface Sediment, RM 0.8–12.2





Figure D1.1-63
 Portland Harbor RI/FS
 Remedial Investigation Report
 Histogram of Mean Total Petroleum Hydrocarbon (Diesel)
 (Silica Gel Method) Concentration
 in Surface and Subsurface Sediment (RM 1.9–11.8)



Note:

Occasionally, small sample sizes (e.g., $N < 3$) or data sets with multiple duplicate values can result in min/max whiskers that coincide with the upper/lower boundaries of the box plot (i.e., 25th and 75th percentiles). In these cases, no whiskers will be visible on the box plot.

Figure D1.1-64
 Portland Harbor RI/FS
 Remedial Investigation Report
 Box-Whisker Plot of Total Petroleum Hydrocarbon (Diesel)
 (Silica Gel Method) in
 Surface and Subsurface Sediment by River Reach




Figure D1.1–65
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of Butylbenzyl phthalate
Concentrations in Surface Sediment, RM 0.8–12.2




Figure D1.1–66
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of Butylbenzyl phthalate
Concentrations in Subsurface Sediment, RM 0.8–12.2





Figure D1.1-67
 Portland Harbor RI/FS
 Remedial Investigation Report
 Histogram of Mean Butylbenzyl phthalate Concentration
 in Surface and Subsurface Sediment (RM 1.9–11.8)



Note:
Occasionally, small sample sizes (e.g., $N < 3$) or data sets with multiple duplicate values can result in min/max whiskers that coincide with the upper/lower boundaries of the box plot (i.e., 25th and 75th percentiles). In these cases, no whiskers will be visible on the box plot.

Figure D1.1-68
Portland Harbor RI/FS
Remedial Investigation Report
Box-Whisker Plot of Butylbenzyl phthalate in
Surface and Subsurface Sediment by River Reach




Figure D1.1–69
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of Pentachlorophenol
Concentrations in Surface Sediment, RM 0.8–12.2




Figure D1.1–70
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of Pentachlorophenol
Concentrations in Subsurface Sediment, RM 0.8–12.2





Figure D1.1-71
 Portland Harbor RI/FS
 Remedial Investigation Report
 Histogram of Mean Pentachlorophenol Concentration
 in Surface and Subsurface Sediment (RM 1.9–11.8)



Note:

Occasionally, small sample sizes (e.g., $N < 3$) or data sets with multiple duplicate values can result in min/max whiskers that coincide with the upper/lower boundaries of the box plot (i.e., 25th and 75th percentiles). In these cases, no whiskers will be visible on the box plot.

Figure D1.1-72
 Portland Harbor RI/FS
 Remedial Investigation Report
 Box-Whisker Plot of Pentachlorophenol in
 Surface and Subsurface Sediment by River Reach




Figure D1.1–73
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of Hexachlorobenzene
Concentrations in Surface Sediment, RM 0.8–12.2




Figure D1.1–74
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of Hexachlorobenzene
Concentrations in Subsurface Sediment, RM 0.8–12.2





Figure D1.1-75
 Portland Harbor RI/FS
 Remedial Investigation Report
 Histogram of Mean Hexachlorobenzene Concentration
 in Surface and Subsurface Sediment (RM 1.9–11.8)



Note:

Occasionally, small sample sizes (e.g., $N < 3$) or data sets with multiple duplicate values can result in min/max whiskers that coincide with the upper/lower boundaries of the box plot (i.e., 25th and 75th percentiles). In these cases, no whiskers will be visible on the box plot.

Figure D1.1-76
 Portland Harbor RI/FS
 Remedial Investigation Report
 Box-Whisker Plot of Hexachlorobenzene in
 Surface and Subsurface Sediment by River Reach




Figure D1.1-77
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of gamma-Hexachlorocyclohexane (Lindane)
Concentrations in Surface Sediment, RM 0.8-12.2




Figure D1.1-78
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of gamma-Hexachlorocyclohexane (Lindane)
Concentrations in Subsurface Sediment, RM 0.8-12.2





Figure D1.1-79
 Portland Harbor RI/FS
 Remedial Investigation Report
 Histogram of Mean gamma-Hexachlorocyclohexane (Lindane) Concentration
 in Surface and Subsurface Sediment (RM 1.9–11.8)



Note:

Occasionally, small sample sizes (e.g., $N < 3$) or data sets with multiple duplicate values can result in min/max whiskers that coincide with the upper/lower boundaries of the box plot (i.e., 25th and 75th percentiles). In these cases, no whiskers will be visible on the box plot.

Figure D1.1-80
 Portland Harbor RI/FS
 Remedial Investigation Report
 Box-Whisker Plot of
 gamma-Hexachlorocyclohexane (Lindane) in
 Surface and Subsurface Sediment by River Reach




Figure D1.1–81
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of Cadmium
Concentrations in Surface Sediment, RM 0.8–12.2




Figure D1.1–82
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of Cadmium
Concentrations in Subsurface Sediment, RM 0.8–12.2





Figure D1.1-83
 Portland Harbor RI/FS
 Remedial Investigation Report
 Histogram of Mean Cadmium Concentration
 in Surface and Subsurface Sediment (RM 1.9–11.8)



Note:

Occasionally, small sample sizes (e.g., $N < 3$) or data sets with multiple duplicate values can result in min/max whiskers that coincide with the upper/lower boundaries of the box plot (i.e., 25th and 75th percentiles). In these cases, no whiskers will be visible on the box plot.

Figure D1.1-84
 Portland Harbor RI/FS
 Remedial Investigation Report
 Box-Whisker Plot of Cadmium in
 Surface and Subsurface Sediment by River Reach




Figure D1.1–85
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of Lead
Concentrations in Surface Sediment, RM 0.8–12.2




Figure D1.1–86
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of Lead
Concentrations in Subsurface Sediment, RM 0.8–12.2





Figure D1.1-87
 Portland Harbor RI/FS
 Remedial Investigation Report
 Histogram of Mean Lead Concentration
 in Surface and Subsurface Sediment (RM 1.9–11.8)



Note:

Occasionally, small sample sizes (e.g., $N < 3$) or data sets with multiple duplicate values can result in min/max whiskers that coincide with the upper/lower boundaries of the box plot (i.e., 25th and 75th percentiles). In these cases, no whiskers will be visible on the box plot.

Figure D1.1-88
 Portland Harbor RI/FS
 Remedial Investigation Report
 Box-Whisker Plot of Lead in
 Surface and Subsurface Sediment by River Reach




Figure D1.1–89
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of Mercury
Concentrations in Surface Sediment, RM 0.8–12.2




Figure D1.1–90
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of Mercury
Concentrations in Subsurface Sediment, RM 0.8–12.2





Figure D1.1-91
 Portland Harbor RI/FS
 Remedial Investigation Report
 Histogram of Mean Mercury Concentration
 in Surface and Subsurface Sediment (RM 1.9–11.8)



Note:
Occasionally, small sample sizes (e.g., $N < 3$) or data sets with multiple duplicate values can result in min/max whiskers that coincide with the upper/lower boundaries of the box plot (i.e., 25th and 75th percentiles). In these cases, no whiskers will be visible on the box plot.

Figure D1.1-92
Portland Harbor RI/FS
Remedial Investigation Report
Box-Whisker Plot of Mercury in
Surface and Subsurface Sediment by River Reach




Figure D1.1–93
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of Nickel
Concentrations in Surface Sediment, RM 0.8–12.2





Figure D1.1–94
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of Nickel
Concentrations in Subsurface Sediment, RM 0.8–12.2



Figure D1.1-95
 Portland Harbor RI/FS
 Remedial Investigation Report
 Histogram of Mean Nickel Concentration
 in Surface and Subsurface Sediment (RM 1.9–11.8)



Note:

Occasionally, small sample sizes (e.g., $N < 3$) or data sets with multiple duplicate values can result in min/max whiskers that coincide with the upper/lower boundaries of the box plot (i.e., 25th and 75th percentiles). In these cases, no whiskers will be visible on the box plot.

Figure D1.1-96
 Portland Harbor RI/FS
 Remedial Investigation Report
 Box-Whisker Plot of Nickel in
 Surface and Subsurface Sediment by River Reach




Figure D1.1–97
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of Percent Fines
Concentrations in Surface Sediment, RM 0.8–12.2




Figure D1.1–98
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of Percent Fines
Concentrations in Subsurface Sediment, RM 0.8–12.2





Figure D1.1-99
 Portland Harbor RI/FS
 Remedial Investigation Report
 Histogram of Mean Percent Fines Concentration
 in Surface and Subsurface Sediment (RM 1.9–11.8)



Note:

Occasionally, small sample sizes (e.g., $N < 3$) or data sets with multiple duplicate values can result in min/max whiskers that coincide with the upper/lower boundaries of the box plot (i.e., 25th and 75th percentiles). In these cases, no whiskers will be visible on the box plot.

Surface fines subset contains five "0%" values that were replaced with "0.06%" (minimum non-zero value observed) so that the minimum-value whisker is made visible in log space.

Figure D1.1-100
 Portland Harbor RI/FS
 Remedial Investigation Report
 Box-Whisker Plot of Percent Fines in
 Surface and Subsurface Sediment by River Reach




Figure D1.1–101
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of Total Organic Carbon
Concentrations in Surface Sediment, RM 0.8–12.2




Figure D1.1–102
Portland Harbor RI/FS
Remedial Investigation Report
Scatter Plot of Total Organic Carbon
Concentrations in Subsurface Sediment, RM 0.8–12.2




Figure D1.1-103
 Portland Harbor RI/FS
 Remedial Investigation Report
 Histogram of Mean Total Organic Carbon Concentration
 in Surface and Subsurface Sediment (RM 1.9–11.8)



Note:
Occasionally, small sample sizes (e.g., $N < 3$) or data sets with multiple duplicate values can result in min/max whiskers that coincide with the upper/lower boundaries of the box plot (i.e., 25th and 75th percentiles). In these cases, no whiskers will be visible on the box plot.

Figure D1.1-104
Portland Harbor RI/FS
Remedial Investigation Report
Box-Whisker Plot of Total Organic Carbon in
Surface and Subsurface Sediment by River Reach